

# FHD Screen Touch Sensitive

New capacitive screen, multi-touch

## A1506



### A<sup>+</sup>

Grade A+ Panel  
No bad pixel



PCAP Touch



Resolution  
1024x768P



Intel Celeron/I3/I5/I7 CPU  
Fanless/Fan



4G/8G/16G RAM  
DDR 3/DDR4 optional



64G SSD, 128/256G  
SSD, 500G HDD  
Msata/Sata optional



# product Parameters

Supply voltage	100V-240V
Host voltage	12V 5A
Display	15.0inch resolution 1024*768, 4:3 TFT LED
Touch screen	10point Capacitive Touch
CPU	Intel Celeron J4125 Quad core 2.0GHz
Memory	DDR4 4GB
Hard disk	Msata 64GB SSD
COM	2 RS232COM ports
USB	4*USB 2.0, 2*usb 3.0
LAN	1
Customer display port	1
Audio	1
Material	aluminium alloy case
Customer display	2x20 VFD
Customer screen	11.6" 1366x768
MSR	3-Track MSR
Net weight	6.5KG
Gross weight	7.3KG
Packaging volume	41.5*17.5*43.5CM

# 15.0"+9.7"

1024\*768




1024\*768  
Resolution

4:3  
aspect ratio

420mm



# Rich Interfaces



# Aluminum Alloy Housing

With strong cooling system  
Good quality, fast heat dissipation





# Stable Touch Super Sensitive Touch

High performance true flat capacitive touch screen, more smooth touch experience





# Dust-free/Oil-free Water-free

Fully Enclosed





# Fanless Motherboard More Quite



Silence





# Neat and Rigorous Assembly Process





# Stylish Design With Dual hinge Thinner Boarder, Slim Screen





# Easy Install Secondary Screen





**Foldable stand reduces  
packaging volume  
saving 30% shipping cost**





# Application Scenarios

